




Sprint Digital Voice



One Sprint. Many Solutions.™



Sprint Digital Voice is a dependable, cost-effective, low maintenance voice mail system.

Sprint Digital Voice is an ideal voice mail solution for small to medium-size businesses. This affordable voice processing adjunct is one self-contained unit with no moving parts. It is easy to install, low maintenance and meets the reliability and quality requirements of the small-office market.

The flexibility of Sprint Digital Voice enables compatibility with a wide range of telephone systems. Available in four ports, this system provides 5 hours of voice storage and a maximum of 50 user mailboxes.

-
- Solid state technology
 - External power supply
 - Power failure back-up
 - Serial port diagnostics
 - Touch tone programming
 - Available in 4-Ports
 - Five hours of voice storage
 - 50 user mailboxes
 - Wall or desk mountable
 - Simple to install
-



Sprint Digital Voice



Voice Mail Highlights

Message Notification	Enables user to be notified at the local extension or remotely to a pager or cell phone when a message has been received in their mailbox
Reverse Listening Order	Allows user to control listening order of messages in mailbox (last in, first out)
Volume Control	Allows user to increase or decrease the volume while listening to a message
Conversation Record	Gives users the option to record a conversation into their personal mailbox (<i>select phone systems only</i>)
Fast Forward/Back-Up	Allows the user to skip ahead or back-up five seconds while listening to a message
Message Forward	Enables user to forward a message to another mailbox
Distribution Mailbox	Enables user to send a broadcast message to all mailboxes
Personal Greeting	Enables user to record a personalized greeting

Additional voice mail highlights include a time and date stamp that records the time and date a message was received; future delivery message option; security code and various other voice mail features.

Auto Attendant Highlights

Fax Detect Transfer	Automatically transfers fax calls to a programmed extension
First or Last Name Directory	Search for an unknown extension by first or last name from the directory
Greeting by Time/Date	Allows different greetings to be played on different days or time of day

Additional auto attendant highlights include single digit transfer options, auto attendant call block to prevent auto attendant calls from ringing a user's extension; and a time out to operator feature that automatically forwards calls to operator if a selection is not made.

Specifications


Number of Ports	4-Port
Voice Storage Capacity	5 Hours
Subscriber Mailboxes	Up to 50
Telephone System Interface	Single Line Extension
Environmental Requirement	50-104° F, 10-40° C

Supported Systems

Avaya Partner ACS/Legend/Partner Plus/
Partner II
BBS
Electra Pro I, Pro II
Fujitsu Altura
Landmark

Mitel SX-50, SX-200/SX-200D/SX2000
Mitel with Callista
Norstar with Callista
Panasonic DBS, KXTD-1232, KXT-1232
Prostar DCS
Protegé® 616, CTX/MTX/LTX

Toshiba Strata DK 8/16, DK 24/56/96, DK 280
Generic: *Integration parameters can be programmed to work with telephone systems other than those listed above*



Sprint Digital Voice

